



APPROVED	
DEVELOPMENT CONTROL MANAGER	DATE

- NOTES**
1. ALL SEWERS TO BE 0.75m FROM BOUNDARIES UNLESS OTHERWISE INDICATED.
 2. ALL PIPES TO BE 100mm UNLESS OTHERWISE INDICATED.
 3. ALL PIPES TO BE PVC CLASS 40 UNLESS OTHERWISE INDICATED.
 4. PIPE BEDDING TO BE 100mm UNLESS OTHERWISE INDICATED.
 5. CONNECTION POINTS TO BE CLEARLY MARKED ON SITE AS DETAILED IN THE DOCUMENTATION.
 6. SUBJECT TO THE APPROVAL OF THE LOCAL AUTHORITY AND WILL BE SUBJECT TO TESTING.
 7. BACKFILL IN ROAD RESERVE UNDER PAVING OR AS DIRECTED IS TO BE COMPACTED TO 95% PROVISIONAL AND WILL BE SUBJECT TO TESTING.
 8. THE PROVISIONAL ARE TO BE ESTABLISHED BY AN INDEPENDENT ENGINEERING SURVEYOR AND THE PROVISIONS THEREOF FORWARDED TO THE LOCAL AUTHORITY PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION WORK.

- LEGEND**
- NEW SEWER PIPE
 - - - EXISTING SEWER PIPE
 - NEW MANHOLE WITH TYPE 24 SHEET PILE COVER
 - EXISTING MANHOLE
 - NEW MANHOLE WITH TYPE 44 SHEET PILE COVER

AS-BUILT DRAWING
AND FINAL INSPECTION BY

PRINT NAME: SIGNATURE:
PRINT PROF. REG. NO.: DATE:

A.	06/06/2006	INFORMATION 'AS-BUILT'
NO.	DATE	REVISION

KSS CONSULTING ENGINEERS INCORPORATED
BUILDING 5, 299 PENDING, BLACKHEATH, JOHANNESBURG
P.O. BOX 4427, CRESTA, 2118
TEL: 10111 678 9838; FAX: 10111 678 7115
EMAIL: kss@kssinc.co.za

APPROVED

PROJECT
TIJGERVALLEI EXT. 1 - 8
REMAINDER OF THE FARM
TWEEFONTEIN No. 372 - J.R.

DESCRIPTION
SEWER RETICULATION

DESIGNED	PKS	SCALE	1 : 750
DRAWN	AM	DATE	JUNE 2006
CHECKED	PKS	CONTRACT NO

DRAWING NO.	255/03-20
REVISION	A