










PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 1 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 43,2" S 28° 22' 50,6" E	











	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1000mm on hard rock, hornfelsic shale.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample	Gat deursnee:	
	Konsolidasie monster	Water depth:	
<b>C</b>	Indicator tests Klassifikasie toets	Watervlak:	
<b>I</b>			

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 1</b>
-------------	----------------------------------

<b>FIG A1</b>
---------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 6 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 51,9" S 28° 23' 04,8" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A	
	Disturbed sample Versteurde monster	Masjien:	
	Undisturbed sample Onversteurde monster	Hole diameter: 700mm	
	Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 6</b>
-------------	----------------------------------

<b>FIG A6</b>
---------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 11 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 46,7" S 28° 22' 50,0" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b> 1 Refusal of excavation at 1300mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 11</b>
-------------	-----------------------------------

<b>FIG A11</b>
----------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 16	SHEET No: 1
SITE: A Part of the Remainder of the Farm	TOETSGAT:	Vel Nr:
CLIENT: Sable Homes North (Pty) Ltd	LOGGED FJB	DATE: 24 May 2006
KLIENT:	LOCATION: 25° 46' 52,4" S	
	28° 22' 51,0" E	













	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation encountered at 1200mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 16</b>
-------------	-----------------------------------

<b>FIG A16</b>
----------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 21 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 59,8" S 28° 22' 53,5" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1700mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A	
	Disturbed sample Versteurde monster	Masjien:	
	Undisturbed sample Onversteurde monster	Hole diameter: 700mm	
	Consolidation sample Konsolidasie monster	Gat deursnee:	
	Indicator tests Klassifikasie toets	Water depth:	
		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 21</b>
-------------	-----------------------------------

<b>FIG A21</b>
----------------



PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 2 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 45,0" S 28° 22' 51,9" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1400mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
<b>C</b>	Indicator tests Klassifikasie toets		
<b>I</b>			

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 2</b>
-------------	----------------------------------

<b>FIG A2</b>
---------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 7 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 56,5" S 28° 23' 03,1" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	<b>NOTES / NOTAS</b>  1 Refusal of excavation encountered at 1700mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
<b>C</b>	Indicator tests Klassifikasie toets		
<b>I</b>			

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 7</b>
-------------	----------------------------------

<b>FIG A7</b>
---------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 12 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 24 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 45,6" S 28° 22' 47,7" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1600mm on hard rock, shale.  2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster	Hole diameter: 700mm Gat deursnee:	
	Undisturbed sample Onversteurde monster	Water depth: Waternvlak:	
	Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 12</b>
-------------	-----------------------------------

<b>FIG A12</b>
----------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 17 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 24 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 56,9" S 28° 22' 51,4" E	













	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 17</b>
-------------	-----------------------------------

<b>FIG A17</b>
----------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 22 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 59,8" S 28° 22' 48,7" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1800mm on hard rock, shale.  2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster	Hole diameter: 700mm Gat deursnee:	
	Undisturbed sample Onversteurde monster	Water depth: Watervlak:	
	Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		
			

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 22</b>
-------------	-----------------------------------

<b>FIG A22</b>
----------------



PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 3 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 47,9" S 28° 22' 54,0" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1500mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A	
	Disturbed sample Versteurde monster	Masjien:	
	Undisturbed sample Onversteurde monster	Hole diameter: 700mm	
	Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 3</b>
-------------	----------------------------------

<b>FIG A3</b>
---------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 8 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 55,3" S 28° 22' 59,6" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 8</b>
-------------	----------------------------------

<b>FIG A8</b>
---------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 13	SHEET No: 1
SITE: A Part of the Remainder of the Farm	TOETSGAT:	Vel Nr:
CLIENT: Sable Homes North (Pty) Ltd	LOGGED FJB	DATE: 24 May 2006
KLIENT:	LOCATION: 25° 46' 48,4" S	
	28° 22' 45,1" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A	
	Disturbed sample Versteurde monster	Masjien:	
	Undisturbed sample Onversteurde monster	Hole diameter: 700mm	
	Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 13</b>
-------------	-----------------------------------

<b>FIG A13</b>
----------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 18	SHEET No: 1
SITE: A Part of the Remainder of the Farm	TOETSGAT:	Vel Nr:
CLIENT: Sable Homes North (Pty) Ltd	LOGGED FJB	DATE: 24 May 2006
KLIENT:	LOCATION: 25° 46' 56,8" S	
	28° 22' 55,7" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 18</b>
-------------	-----------------------------------

<b>FIG A18</b>
----------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 23 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 55,6" S 28° 22' 48,2" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 2000mm on hard rock, diabase.  2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change	Machine: John Deere 310A Masjien:	
	Benaderde materiaalverandering Disturbed sample	Hole diameter: 700mm Gat deursnee:	
	Versteurde monster Undisturbed sample	Water depth: Watervlak:	
	Onversteurde monster Consolidation sample Konsolidasie monster		
<b>C</b>	Indicator tests Klassifikasie toets		
<b>I</b>			

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 23</b>
-------------	-----------------------------------

<b>FIG A23</b>
----------------



PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 4 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 50,7" S 28° 22' 55,5" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1400mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
	Indicator tests Klassifikasie toets	Water depth: Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 4</b>
-------------	----------------------------------

<b>FIG A4</b>
---------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 9 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 53,5" S 28° 22' 54,3" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 9</b>
-------------	----------------------------------

<b>FIG A9</b>
---------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 14	SHEET No: 1
SITE: A Part of the Remainder of the Farm	TOETSGAT:	Vel Nr:
CLIENT: Sable Homes North (Pty) Ltd	LOGGED FJB	DATE: 24 May 2006
KLIENT:	LOCATION: 25° 46' 56,0" S	
	28° 22' 47,2" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change	Machine: John Deere 310A Masjien:	
	Benaderde materiaalverandering Disturbed sample	Hole diameter: 700mm Gat deursnee:	
	Versteurde monster Undisturbed sample	Water depth: Watervlak:	
	Onversteurde monster Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 14</b>
-------------	-----------------------------------

<b>FIG A14</b>
----------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 19 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 24 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 58,9" S 28° 22' 59,5" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation encountered at 1700mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 19</b>
-------------	-----------------------------------

<b>FIG A19</b>
----------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 24	SHEET No: 1
SITE: A Part of the Remainder of the Farm	TOETSGAT:	Vel Nr:
CLIENT: Sable Homes North (Pty) Ltd	LOGGED FJB	DATE: 25 May 2006
KLIENT:	LOCATION: 25° 46' 53,3" S	
	28° 22' 46,4" E	




	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation encountered at 1600mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	








<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 24</b>
-------------	-----------------------------------

<b>FIG A24</b>
----------------



PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 5 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 52,0" S 28° 23' 01,2" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
<b>C</b>	Indicator tests Klassifikasie toets		
<b>I</b>			

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 5</b>
-------------	----------------------------------

<b>FIG A5</b>
---------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 10 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 48,6" S 28° 22' 52,3" E	












	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation encountered at 1200mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 10</b>
-------------	-----------------------------------

<b>FIG A10</b>
----------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 15 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 24 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 51,3" S 28° 22' 49,6" E	











	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	<b>NOTES / NOTAS</b>  1 Refusal of excavation not encountered.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 15</b>
-------------	-----------------------------------

<b>FIG A15</b>
----------------

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 20 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 23 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 01,6" S 28° 22' 56,6" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	<b>NOTES / NOTAS</b>  1 Refusal of excavation at 1500mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
<b>C</b>	Indicator tests Klassifikasie toets		
<b>I</b>			

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 20</b>
-------------	-----------------------------------

<b>FIG A20</b>
----------------

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 25 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 52,4" S 28° 22' 44,0" E	



	Water encountered Water teëgekom	Contractor: SNALAB	<b>NOTES / NOTAS</b>  1 Refusal of excavation encountered at 1700mm on very dense sand.  2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A	
	Disturbed sample Versteurde monster	Masjien:	
	Undisturbed sample Onversteurde monster	Hole diameter: 700mm	
	Consolidation sample Konsolidasie monster	Gat deursnee:	
<b>C</b>	Indicator tests Klassifikasie toets	Water depth:	
<b>I</b>		Watervlak:	

<b>SOIL</b>	<b>SOIL PROFILE : TEST PIT 25</b>
-------------	-----------------------------------

<b>FIG A25</b>
----------------













