









PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 26 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 50,9" S 28° 22' 42,2" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 1700mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth:	
I		Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 26
-------------	-----------------------------------

FIG A26

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 31 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 02,4" S 28° 22' 46,7" E	













	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 2000mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change	Machine: John Deere 310A Masjien:	
	Benaderde materiaalverandering Disturbed sample	Hole diameter: 700mm Gat deursnee:	
	Versteurde monster Undisturbed sample	Water depth: Watervlak:	
	Onversteurde monster Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 31
-------------	-----------------------------------

FIG A31

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 41 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 00,6" S 28° 22' 31,2" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 1700mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster	Hole diameter: 700mm Gat deursnee:	
	Undisturbed sample Onversteurde monster	Water depth: Watervlak:	
	Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		
			

SOIL	SOIL PROFILE : TEST PIT 41
-------------	-----------------------------------

FIG A41

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 46 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 13,9" S 28° 22' 40,4" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak		
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster	Hole diameter: 700mm Gat deursnee:	
	Undisturbed sample Onversteurde monster	Water depth: Watervlak:	
	Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 46
-------------	-----------------------------------

FIG A46

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 27 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 53,5" S 28° 22' 39,3" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	NOTES / NOTAS 1 Refusal of excavation encountered at 1800mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 27
-------------	-----------------------------------

FIG A27

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 32 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 03,4" S 28° 22' 51,1" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 1800mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster	Hole diameter: 700mm Gat deursnee:	
	Undisturbed sample Onversteurde monster	Water depth: Watervlak:	
	Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 32
-------------	-----------------------------------

FIG A32

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 37 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 01,5" S 28° 22' 42,7" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
	Indicator tests Klassifikasie toets	Water depth:	
		Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 37
-------------	-----------------------------------

FIG A37

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 42	SHEET No: 1
SITE: A Part of the Remainder of the Farm	TOETSGAT:	Vel Nr:
CLIENT: Sable Homes North (Pty) Ltd	LOGGED FJB	DATE: 25 May 2006
KLIENT:	LOCATION: 25° 47' 03,2" S	
	28° 22' 34,7" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 1900mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006	
	Approximate material change	Datum Geboor:	
	Benaderde materiaalverandering Disturbed sample	Machine: John Deere 310A	
	Versteurde monster Undisturbed sample	Masjien:	
	Onversteurde monster Consolidation sample Konsolidasie monster	Hole diameter: 700mm Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth: Watervlak:	
I			

SOIL	SOIL PROFILE : TEST PIT 42
-------------	-----------------------------------

FIG A42

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 47 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 10,2" S 28° 22' 31,5" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth:	
I		Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 47
-------------	-----------------------------------

FIG A47

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 28 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 55,8" S 28° 22' 41,0" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 1400mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth:	
I		Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 28
-------------	-----------------------------------

FIG A28

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 33 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 04,9" S 28° 22' 53,8" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change	Machine: John Deere 310A Masjien:	
	Benaderde materiaalverandering Disturbed sample	Hole diameter: 700mm Gat deursnee:	
	Versteurde monster Undisturbed sample	Water depth: Watervlak:	
	Onversteurde monster Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 33
-------------	-----------------------------------

FIG A33

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 38 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 00,1" S 28° 22' 40,5" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	NOTES / NOTAS 1 Refusal of excavation encountered at 1000mm ob very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		
			

SOIL	SOIL PROFILE : TEST PIT 38
-------------	-----------------------------------

FIG A38

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 43 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 06,0" S 28° 22' 38,7" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 1500mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster	Hole diameter: 700mm Gat deursnee:	
	Undisturbed sample Onversteurde monster	Water depth: Watervlak:	
	Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		

SOIL	SOIL PROFILE : TEST PIT 43
-------------	-----------------------------------

FIG A43

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 48	SHEET No: 1
SITE: A Part of the Remainder of the Farm	TOETSGAT:	Vel Nr:
CLIENT: Sable Homes North (Pty) Ltd	LOGGED FJB	DATE: 25 May 2006
KLIENT:	LOCATION: 25° 47' 08,1" S	
	28° 22' 28,2" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 2000mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006	
	Approximate material change	Datum Geboor:	
	Benaderde materiaalverandering Disturbed sample	Machine: John Deere 310A	
	Versteurde monster Undisturbed sample	Masjien:	
	Onversteurde monster Consolidation sample Konsolidasie monster	Hole diameter: 700mm Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth: Watervlak:	
I			

SOIL	SOIL PROFILE : TEST PIT 48
-------------	-----------------------------------

FIG A48

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 29 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 57,2" S 28° 22' 43,1" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	NOTES / NOTAS 1 Refusal of excavation encountered at 2000mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 29
-------------	-----------------------------------

FIG A29

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 34 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 53,3" S 28° 22' 46,4" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 2400mm on hard rock, diabase. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
	Indicator tests Klassifikasie toets	Water depth: Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 34
-------------	-----------------------------------

FIG A34

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 39 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 58,2" S 28° 22' 38,9" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth:	
I		Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 39
-------------	-----------------------------------

FIG A39

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 44 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 04,9" S 28° 22' 53,8" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A	
	Disturbed sample Versteurde monster	Masjien:	
	Undisturbed sample Onversteurde monster	Hole diameter: 700mm	
	Consolidation sample Konsolidasie monster	Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth:	
I		Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 44
-------------	-----------------------------------

FIG A44

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 49 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 01,5" S 28° 22' 26,8" E	




	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 2000mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Kontrakteur:	
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster	Hole diameter: 700mm Gat deursnee:	
	Undisturbed sample Onversteurde monster	Water depth: Watervlak:	
	Consolidation sample Konsolidasie monster		
	Indicator tests Klassifikasie toets		

SOIL	SOIL PROFILE : TEST PIT 49
-------------	-----------------------------------

FIG A49

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 30 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 58,9" S 28° 22' 44,9" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	NOTES / NOTAS 1 Refusal of excavation encountered at 2000mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 30
-------------	-----------------------------------

FIG A30

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 35 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 06,1" S 28° 22' 48,9" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak		
	Bottom of hole Bodem van gat	Date Drilled: 16 March 2006 Datum Geboor:	
	Approximate material change Benaderde materiaalverandering	Machine: John Deere 310A Masjien:	
	Disturbed sample Versteurde monster		
	Undisturbed sample Onversteurde monster	Hole diameter: 700mm Gat deursnee:	
	Consolidation sample Konsolidasie monster	Water depth: Watervlak:	
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 35
-------------	-----------------------------------

FIG A35

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 40 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 24 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 46' 56,3" S 28° 22' 36,4" E	











	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation encountered at 1300mm on very dense sand. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm	
	Onversteurde monster Consolidation sample Konsolidasie monster	Gat deursnee:	
C	Indicator tests Klassifikasie toets	Water depth:	
I		Watervlak:	

SOIL	SOIL PROFILE : TEST PIT 40
-------------	-----------------------------------

FIG A40

PROJECT: Proposed Tjigervalleij Extension 10	TRAIL HOLE: 45 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 11,5" S 28° 22' 46,5" E	




	Water encountered Water teëgekom	Contractor: SNALAB Kontrakteur:	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006 Datum Geboor:	
	Bottom of hole Bodem van gat	Machine: John Deere 310A Masjien:	
	Approximate material change Benaderde materiaalverandering	Hole diameter: 700mm Gat deursnee:	
	Disturbed sample Versteurde monster	Water depth: Watervlak:	
	Undisturbed sample Onversteurde monster		
	Consolidation sample Konsolidasie monster		
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 45
-------------	-----------------------------------

FIG A45

PROJECT: Proposed Tiggervalleij Extension 10	TRAIL HOLE: 50 TOETSGAT:	SHEET No: 1 Vel Nr:
SITE: A Part of the Remainder of the Farm	LOGGED FJB	DATE: 25 May 2006
CLIENT: Sable Homes North (Pty) Ltd KLIENT:	LOCATION: 25° 47' 03,9" S 28° 22' 45,0" E	



	Water encountered Water teëgekom	Contractor: SNALAB	NOTES / NOTAS 1 Refusal of excavation not encountered. 2 Seepage water not encountered.
	Water level Waterrusvlak	Date Drilled: 16 March 2006	
	Bottom of hole Bodem van gat	Datum Geboor:	
	Approximate material change	Machine: John Deere 310A	
	Benaderde materiaalverandering Disturbed sample	Masjien:	
	Versteurde monster Undisturbed sample	Hole diameter: 700mm Gat deursnee:	
	Onversteurde monster Consolidation sample Konsolidasie monster	Water depth: Watervlak:	
C	Indicator tests Klassifikasie toets		
I			

SOIL	SOIL PROFILE : TEST PIT 50
-------------	-----------------------------------

FIG A50
